



**ANTI-SEIZE TECHNOLOGY**  
A.S.T. Industries, Inc.

# PREMIUM EP-2™ GREASE

## SAFETY DATA SHEET

### Section 1- Product and Company Identification

**Product type:** Lubricating Grease  
**Restrictions of Use:** Use as directed.

**Manufacture/ Supplier :** Anti-Seize Technology  
2345 N. 17<sup>th</sup> Ave.  
Franklin Park, IL 60131

**Phone:** 847-455-2300

**Fax:** 847-455-2371

**Web:** antiseize.com

**Emergency Phone, 24 hr:** Infotrac @ 1-800-535-5053 ( US & Canada )  
1-352-323-3500 ( International )

**Date:** December 6, 2017

### Section 2-Hazard Identification

**GHS Classification ( Hazcom 2012):** Not Hazardous

**Label Elements:** None

**Signal word:** None

**Hazard Phrases:** Prolonged or repeated skin contact may cause skin irritation

**Precautionary Phrases:** Do not eat, drink or smoke when handling this product. Wash thoroughly after use.

**Prevention:**

Wash thoroughly after handling

Wear protective gloves if prolonged skin contact is expected

Wear safety glasses

**Response:**

**Eyes:** Flush eyes with water, holding the eyelids apart. Remove contact lenses if being worn. Get medical attention if irritation persists.

**Skin:** Wash with soap and water

**Ingestion:** If large amounts are ingested, seek medical attention. Do not induce vomiting.

**Inhalation:** Not likely.

**Storage:**

When not in use keep container closed

Keep away from children

**Disposal:** Dispose of contents in accordance with local, regional and national regulations.

**Other Hazards:** No data

### Section 3- Composition/ Information on Ingredients

Ingredient	CAS #	%
Distillates ( petroleum), Hydrotreated heavy naphthenic	64742-47-5	90-95
Lithium Complex Soap	7620-77-1	3-10

The specific identity and/or exact percentage of composition has been withheld as a trade secret. There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified to health or the environment and hence require reporting in this section.

### Section 4 – First Aid Measures

**Skin:** wash with soap and water, using a nail brush. Pay particular attention to finger nails and open wounds.

**Eyes:** Flush eye with water for 15 minutes, lifting the eyelids. If irritation persists consult a physician.

**Ingestion:** If ingested this product is not expected to cause an acute reaction. This product contains petroleum oil; **do not induce vomiting**, because the oil may be aspirated into the lungs. Use a gastric lavage, and call a poison control center or a physician.

**Inhalation:** Not likely under normal conditions of use. If using in high temperature applications where thermal decomposition is likely, use a local exhaust to remove fumes. If dizziness or irritation occurs, seek fresh air.

**Most Important symptoms and effects, both acute and delayed:** Skin irritation or redness for prolonged or repeated skin contact.

### Section 5 – Fire Fighting Measures

**Suitable and Unsuitable Extinguishing Media:** Use water spray or fog, foam, carbon dioxide or dry chemical.

**Special Hazards Arising from the Chemical:** This compound will not burn unless it is pre-heated. Water fog may be used to cool the containers but do not spray directly into large containers of burning liquids as frothing may occur. Dense smoke and noxious or toxic fumes may be generated in a fire. Thermal decomposition may yield oxides of carbon.

**Special Equipment and Precautions for Fire-Fighters:** Wear NIOSH approved positive pressure, self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water.

### Section 6 – Accidental Release Measures

**Spill/ leakage procedures:** The viscous nature of this product makes spills unlikely. Use an oil absorbent material and dispose of properly. Do not return spilled material into original container as it may contaminate the product.

**Environmental Hazards:** Report spills and releases as required to appropriate authorities. As with any petroleum based product, do not flush into sewers or waterways.

### Methods and Materials for Containment and Clean up.

Collect spills with an absorbent material and place into a suitable container for disposal. Clean area with soap and water.

**Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate personal protective equipment. Use caution: slip hazard.

**Environmental Hazards:** Report spills and releases as required to appropriate authorities.

**Methods and Material for Containment and Cleaning Up:** Collect spill with an inert absorbent material and place into a suitable container for disposal. Clean area thoroughly.

## Section 7 – Handling and Storage

**Precautions for Safe Handling:** Avoid contact with eyes. Avoid prolonged skin contact Do not transfer to unlabeled containers.

**Conditions for Safe Storage, Including any Incompatibilities:** Store away from extreme heat and open flames. Store away from oxidizers.

## Section 8 – Exposure Controls / Personal Protection

Chemical Name	Exposure Limits
Distillates (petroleum), Hydrotreated heavy naphthenic	5 mg/m <sup>3</sup> TWA ACGIH TLV (inhalable) 5 mg/m <sup>3</sup> TWA OSHA PEL

**Engineering controls:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual Protection Measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking at the end of the work period. Approved techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

**Respiratory Protection:** Use a properly fitted respirator complying with an approved standard if a risk assessment indicates this is necessary.

**Eye/Face Protection:** Safety glasses with side shields are recommended to avoid contact with eyes.

**Skin Protection:** Normally not required unless prolonged or repeated skin contact is expected. If prolonged skin contact is expected then use petroleum resistant gloves such as neoprene gloves.

## Section 9 – Physical and Chemical Properties

**Boiling point:** > 600 f

**Solubility in water:** nil

**Melting point:** 500f

**Reactivity in water:** none

**Vapor pressure:** no data

**Specific gravity:** 0.9

**Evaporation rate:** 0

**Percent volatile:** <0.5

**Appearance and odor:** amber colored grease, petroleum like odor.

### Section 10 – Stability and Reactivity

**Reactivity:** This product is stable

**Chemical stability:** Stable under normal storage and handling conditions.

**Conditions to avoid:** No specific data

**Incompatible Materials:** No specific data

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11 – Toxicological Information

#### Potential Health Effects:

**Eye:** May cause mild irritation.

**Skin:** Prolonged contact may cause irritation and drying of the skin.

**Inhalation:** No adverse effects expected at ambient temperatures. Inhalation of vapors and fumes from thermal decomposition may cause respiratory irritation and metal fume fever with symptoms of fever and chills.

**Ingestion:** Swallowing may cause gastrointestinal irritation, nausea, vomiting, diarrhea.

**Chronic Hazards:** Prolonged inhalation of thermal decomposition products may result in lung damage.

**Carcinogen Status:** None of the components of this product are listed as carcinogens by IARC, NTP or OSHA.

#### Acute Toxicity Values:

Distillates (petroleum), Hydrotreated heavy naphthenic: Oral rat LD50 > 5000 mg/kg, inhalation rat LC50: 2.18 mg/L, dermal rabbit LD50 > 2000 mg/kg

### Section 12 – Ecological Information

**Ecotoxicity:** Distillates (petroleum), Hydrotreated heavy naphthenic: Pimephales promelas LL50 > 100 mg/L/96hr.

**Bioaccumulative Potential:** No specific data

**Mobility in Soil:** No specific data

**Other Adverse Effects:** This product has not been tested for biodegradation. Not expected to be rapidly degradable. This product is not expected to bioaccumulate through food chains in the environment.

### Section 13 – Disposal Consideration

**Waste disposal:** Dispose of in a responsible manner. Follow local, state and federal guidelines. Do not discharge into sewers or waterways. Incineration is the preferred method of disposal, although it may be land filled at an approved facility.

**Section 14- Transport Information**

**DOT**

**Proper Shipping Name:** Not regulated  
**DOT Technical Name:** None  
**DOT Hazard Class:** None  
**UN Number:** None  
**DOT Labels Required (49CFR172.101):** None

**IMDG**

**Shipping Description:** Not regulated  
**ID Number:** None  
**Hazard Class:** None  
**Packing Group:** None  
**Labels Required:** None  
**Marking Required:** None  
**Placards Required:** None

**ICAO/IATA**

**ID Number:** None  
**Hazard Class:** None  
**Packing Group:** None  
**Labels Required:** None  
**Marking Required:** None  
**Placards Required:** None

**Section 15 – Regulatory Information**

**Safety, health, and environmental regulations specific for the product in question.**

**CERCLA Hazardous Substances (Section 103)/RQ:** This product is not subject to reporting requirements under CERCLA. However, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**SARA Hazard Category (311/312):** Not Hazardous

**SARA 313:** This product contains the following chemicals regulated under SARA Title III, section 313: Copper, 20-30%

**EPA TSCA Inventory:** All of the components of this product are listed on the TSCA inventory.

**CALIFORNIA PROPOSITION 65:** This product is not known to contain listed chemicals

**Section 16 – Other Information:**

The information contained herein is based on data considered accurate, however, no warranty is expressed or implied regarding the accuracy of the data or the results obtained from the use of his product. Therefore, because the product may be used under conditions beyond our control, we assume no liability for its use.