

AST-LOCK™ PRIMER T

SAFETY DATA SHEET

Section 1- Product and Company Identification

Product Code: 39008

Manufacture/Supplier : Anti-Seize Technology
2345 N. 17th Ave.
Franklin Park, IL 60131

Phone: 847-455-2300

Fax: 847-455-2371

Web: antiseize.com

Emergency Phone, 24 hr: Infotrac @ 1-800-535-5053 (US & Canada)
1-352-323-3500 (International)
Web: infotrac.net

Product Use: Primer for thread lockers

Date: December 5, 2017

Section 2-Hazard Identification

GHS Classification (Hazcom 2012):

Flammable liquid, Category 2
Skin irritation, Category 2
Eye irritation, Category 2A
STOT-Single exposure, Category 1
Aspiration hazard, Category 1

Label Elements:



Signal word:

Danger

Hazard Phrases:

Highly flammable liquid and vapor
May cause drowsiness or dizziness
May cause skin irritation
May cause eye irritation
May be fatal if swallowed and enters airways

Precautionary Phrases:**Prevention:**

Keep away from heat/sparks/open flames/hot surfaces- No smoking
Avoid breathing vapors/mist/spray
Wash thoroughly after handling
Use only outdoors or in well ventilated area
Wear protective gloves/eye protection/face protection

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention.

IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor if you feel unwell.

Storage:

When not in use keep container closed
Keep away from children
Store in well ventilated area
Keep cool
Store locked up

Disposal: Dispose of contents in accordance with local, regional and national regulations.

Section 3- Composition/ Information on Ingredients

CHEMICAL	CAS NUMBER	PERCENT
n-Heptane	142-82-5	95-100
Substituted Amidine	99-97-8	1-5

The specific identity and/or exact percentage of composition has been withheld as a trade secret

Section 4 – First Aid Measures

Eye: Flush eyes with water, holding the eyelids apart. Remove contact lenses if present and easy to do, continue rinsing. Get medical attention if irritation develops or persists.

Skin: Wash thoroughly with plenty of soap and water. Get medical attention if irritation persists.

Inhalation: Remove to fresh air and keep comfortable for breathing. If irritation occurs, get medical attention.

Ingestion: If ingested do NOT induce vomiting. If ingested, seek medical attention.

Most Important symptoms and effects, both acute and delayed: Aspiration into airways

Section 5 – Fire Fighting Measures

Suitable and Unsuitable Extinguishing Media: Use water spray or fog, foam, carbon dioxide or dry chemical.

Special Hazards Arising from the Chemical: Water fog may be used to cool the containers but do not spray directly into large containers of burning liquids as frothing may occur. Dense smoke and noxious or toxic fumes may be generated in a fire. The thermal decomposition products are highly dependent upon the combustion conditions. Noxious or toxic fumes may be generated, some of which may be toxic or irritating.

Special Equipment and Precautions for Fire-Fighters: Wear NIOSH approved positive pressure, self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water.

Section 6 – Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Remove all sources of ignition. Wear appropriate personal protective equipment. Do not flush down sewers or into waterways.

Environmental Hazards: Report spills and releases as required to appropriate authorities.

Methods and Material for Containment and Cleaning Up: Ventilate area. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

Section 7 – Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes. Do not ingest. Avoid prolonged skin contact. Do not transfer to unlabeled containers.

Conditions for Safe Storage, Including any Incompatibilities: Store away from extreme heat and open flames. Store away from oxidizers. Store at temperatures below 100°F. Keep container closed.

Section 8 – Exposure Controls / Personal Protection

CHEMICAL NAME	EXPOSURE LIMITS
n-Heptane	500ppm, OSHA PEL 400ppm, ACGIH TLV

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the exposure limits.

Individual Protection Measures:

Respiratory Protection: In operations where the occupational exposure limits are exceeded, a NIOSH approved respirator with organic vapor/particulate cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.

Skin Protection: Impervious gloves such as rubber or nitrile recommended where needed to avoid prolonged skin contact .

Eye Protection: Safety glasses or goggles recommended where needed to avoid eye contact.

Section 9 – Physical and Chemical Properties

Appearance: Liquid	Vapor Density (air = 1): 3.4
---------------------------	-------------------------------------

Odor: Aliphatic solvent odor	Specific Gravity: 0.6
Odor Threshold: Not established	Water Solubility: Not soluble
pH: Not available	Octanol/Water Partition Coefficient: Not available
Melting Point/Freezing Point: No Data	Autoignition Temperature: Not available
Boiling Point: 205-210°F, (96.1-98.6°C)	Decomposition Temperature: Not available
Flash Point: 28°F (-2°C)	Viscosity: Not available
Evaporation Rate, ether =1: 2.7	Explosion Properties: No Data
Flammable Limits: LEL: 1.1% UEL: 6.7%	Oxidizing Properties: Not oxidizing
Vapor Pressure: 35mm Hg @68°F	Aerosol Fire Protection Level: Not applicable
VOC Content: 99.8%	Flammability (solid, gas): vapor, liquid

Section 10 – Stability and Reactivity

Reactivity: Not reactive under normal conditions of use.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: None known

Conditions to Avoid: Use with strong oxidizing chemicals such as concentrated acids.

Incompatible Materials: Avoid strong oxidizing agents and acids.

Hazardous Decomposition Products: The thermal decomposition products are highly dependent upon the combustion conditions. Noxious or toxic fumes may be generated, some of which may be toxic or irritating.

Section 11 – Toxicological Information

Potential Health Effects:

Eye: May cause irritation.

Skin: Prolonged contact may cause mild irritation of the skin.

Inhalation: Drowsiness or dizziness may occur with high concentrations or in confined spaces. Aspiration hazard.

Ingestion: Swallowing may cause gastrointestinal irritation, nausea, vomiting, diarrhea

Chronic Hazards: Prolonged inhalation may result in lung damage.

Carcinogen Status: None of the components of this product are listed as carcinogens by IARC, NTP or OSHA.

Section 12 – Ecological Information

Ecological information: No information

Section 13 – Disposal Consideration

Waste disposal: Dispose of in a responsible manner. Follow local, state and federal guidelines. Do not discharge into sewers or waterways. Incineration is the preferred method of disposal, although it may be landfilled at an approved facility.

Hazardous Waste number: D001: ignitable

Section 14- Transport Information

DOT Proper Shipping Name: Heptane

DOT Hazard Class: 3

UN Number: UN 1206

Packing group: II

IMDG Shipping Description: Heptane

ID Number: UN1206

Hazard Class: 3

Packing Group: II

Marking Required: Limited Quantity Mark (not more than 1 L)

Placards Required: Limited Quantity and Marine Pollutant Mark On Transport Containers

ICAO/IATA

Proper shipping name: Heptane

Hazard Class: 3

Identification Number: UN 1206

Packing Group: II

May qualify as Consumer Commodity, ID8000 (Not more than 500ml) Packing instructions Y963 and special provision A112 may apply

Section 15 – Regulatory Information

SARA 302: None above de minimis amount

SARA 311/312: Immediate health, delayed health, fire

SARA 313: None above de minimis amount

TSCA: All components listed or exempt

California Prop. 65: No components listed

Section 16 – Other Information:

The information contained herein is based on data considered accurate, however, no warranty is expressed or implied regarding the accuracy of the data or the results obtained from the use of his product. Therefore, because the product may be used under conditions beyond our control, we assume no liability for its use.