



# RUST TREATMENT

www.antiseize.com

## Product Description

RUST TREATMENT is a rust converter designed to be directly applied to rusty surfaces to convert residual rust on steel surfaces to a harmless and adherent chemical compounds. RUST TREATMENT contains tannic acid which converts iron oxide into an iron tannate which is much more stable than Iron Phosphate which many manufactures use as the sole ingredient in their products.

RUST TREATMENT converts loose, porous iron oxide into a stable blue/black corrosion resistant product. Unlike standard scrape, prime and paint regimes, the user does not have to bring the surface down to bare metal to achieve good results.

RUST TREATMENT will extend the life of rusted iron parts. It's less expensive, less time consuming than traditional methods.

Ideally, after treatment the surface can be coated with our Zinc Cold Galvanizing Spray (P/N 17045) for added corrosion protection and then top coated with a quality paint.

## Features & Benefits

- Stops rusting
- Protects surfaces to resist the effects of weather
- Ready to use formula
- Does not require primer coat before painting although a primer will provide additional protection
- Eliminates lengthy surface preparations
- Primer for oil based paints
- Does not leave a powdery surface
- Will not peel or crack
- Long-term protection on steel and iron
- Does not contain lead or phosphoric acid
- Non-flammable

## Applications include

- All rusting steel and iron
- Can be applied using a brush or roller
- Product arrives ready to use

- Read product label for addition application information

## Typical Properties

Property	Value
Color	Beige (in can), Black (after cured)
Flash Point	None °F
Specific Gravity	1.13 g/cm <sup>3</sup>
Weight Per Gallon	9.43 lb./gal
Toxicity	Not determined
Consistency	Viscosity: 1000 – 2000 cps
Shelf Life	1Year
RoHS 3	Compliant

## Cautions

Read all information on labels and Safety Data Sheets prior to use. All products should be tested and evaluated for a particular purpose prior to use. See Warranty Statement in our Catalog or on our Website.

**GHS information (Bulk material only)**  
**Pressurized cans require GHS labeling.**

**GHS Panel**  
**Classified as Non-Hazardous under**  
**HazCom 2012(OSHA GHS)**  
**Read SDS for additional information**

## Product Limited Warranty

This information is based on information we believe to be reliable and accurate, but no guarantee of its accuracy is made for a particular application. We urge and recommend that Users pretest their application prior to incorporating the product into use and assume that the User will conduct such testing. Also see warranty statement on website.

## Available In:

**Size:** 1 qt bottle w/sprayer , 11oz Net Aerosol  
**P/N:** 70000 17047

**Size:** 1 gal bottle 5galpail 55gal Drum  
**P/N:** 70001 70005 70055

**ANTI-SEIZE TECHNOLOGY**

2345 N. 17th AVE. • FRANKLIN PARK, IL 60131-3432

847-455-2300 • [www.antiseize.com](http://www.antiseize.com)